

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

- · UFI: AKW2-40XV-3000-Q4NM
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Drinking water installations, use in food technology. Use in medical technology. Temperatures> 500 ° C
- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

· Further information obtainable from: Product Safety Department

· 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. Repr. 1A H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children. Causes damage to the central nervous system, the kidneys and the blood through STOT RE 1 H372 prolonged or repeated exposure. H400 Aquatic Acute 1 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

maleic acid

Hazard statements

H317 May cause an allergic skin reaction.

- H351 Suspected of causing cancer.
- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.



Page 2/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 11.6 (replaces version 11.5) Revisio

Revision: 20.09.2024

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.
P308+P313 IF exposed or concerned: Get medical advice/attention.
Additional information:
EUH201A Warning! Contains lead.
Restricted to professional users.
2.3 Other hazards
Page the second se

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

Printing date 20.09.2024

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dangerous components.		
CAS: 7439-92-1 EINECS: 231-100-4 Index number: 082-013-00-1	lead powder [particle diameter < 1 mm] Repr. 1A, H360FD-H362; STOT RE 1, H372 Aquatic Chronic 1, H410 EUH201A Specific concentration limit: Repr. 1A; H360D: $C \ge 0.03 \%$	10 - 35%
CAS: 27458-92-0 EINECS: 248-469-2	isotridecan-1-ol Skin Irrit. 2, H315	2 - 9%
CAS: 7440-22-4 EINECS: 231-131-3	Silver (Powder <0.0001mm) Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	≤ 2.5%
CAS: 61788-95-2 EINECS: 263-022-1	Amine, (hydrierte Talg-alkyl)dimethyl- Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 1%
CAS: 110-16-7 EINECS: 203-742-5 Index number: 607-095-00-3	maleic acid Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.1 \%$	≤ 1%

·SVHC

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 11.6 (replaces version 11.5)

Page 3/9

Revision: 20.09.2024

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 2)

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

Printing date 20.09.2024

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.
6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

· Storage class: 6.1 C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

BOELV Long-term value: 0.15 mg/m³ as Pb

CAS: 7440-22-4 Silver (Powder < 0.0001mm)

IOELV Long-term value: 0.1 mg/m³

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.



Page 4/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 3)

Store protective clothing separately. • **Respiratory protection:** Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Filter A/P2

· Hand protection



Protective gloves

Rubber gloves

Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information		
· Physical state	Fluid	
· Colour:	Grey	
· Odour:	Mild	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
 Boiling point or initial boiling point and boiling range 	e 100 °C	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	> 100 °C	
• Decomposition temperature:	Not determined.	
· pH	Not determined.	
Viscosity:		
Kinematic viscosity at 40 °C	> 20.5 mm²/s	
· Dynamic:	Not determined.	
- Solubility		
water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
• Density and/or relative density	Net determine el	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not determined.	



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

(Contd. of page 4)

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

	(oond. of p
· 9.2 Other information	
· Appearance:	
· Form:	Pasty
· Important information on protection of health	,
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· VOC (EC)	0.00 %
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard class	99
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable)
gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void
·	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Suspected of causing cancer.

· Reproductive toxicity May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

• STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6) EU



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

(Contd. of page 5)

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

· STOT-repeated exposure

Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- \cdot 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP10 Toxic for reproduction

HP14 Ecotoxic

· Uncleaned packaging:

· Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	

•	14.1	UN	nun	ıber	or	ID	number
•	ADR	, IM	DG,	IAT/	4		

UN3082

- · 14.2 UN proper shipping name
- · ADR

· IMDG

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lead powder [particle diameter < 1 mm], isotridecan-1-ol) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (lead powder [particle diameter < 1 mm], isotridecan-1-ol), MARINE POLLUTANT

Page 6/9



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 6)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lead powder [particle diameter < 1 mm], isotridecan-1-ol)

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA

·IATA

· Class · Label	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA	III
 • 14.5 Environmental hazards: • Marine pollutant: • Special marking (ADR): • Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
 • 14.6 Special precautions for user • Hazard identification number (Kemler code): • EMS Number: • Stowage Category 	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 Transport category Tunnel restriction code 	3 (-)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LEAD POWDER [PARTICLE DIAMETER < 1 MM], ISOTRIDECAN-1-OL), 9, III

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





Page 8/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 7)

· Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

maleic acid

· Hazard statements

· Signal word Danger

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P263 Avoid contact during pregnancy and while nursing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30, 63

· Regulation (EU) No 649/2012

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

Annex I Part 1



Printing date 20.09.2024

Page 9/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 11.6 (replaces version 11.5)

Revision: 20.09.2024

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 8)

H312 Harmful in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- Causes serious eye irritation. H319
- H335 May cause respiratory irritation.
- May damage the unborn child. H360D
- H360FD May damage fertility. May damage the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH201A Warning! Contains lead.

· Department issuing SDS: Product Safety Department

- Contact: Hr. Dörr
- Date of previous version: 20.09.2024
- · Version number of previous version: 11.5
- Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity Category 4 Skin Corr. 1B: Skin corrosion/irritation Category 1B
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2

- Skin Sens. 1: Skin sensitisation Category 1 Carc. 2: Carcinogenicity Category 2 Repr. 1A: Reproductive toxicity Category 1A STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1
- Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1

EU