

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Lotpaste SP15 63S4-89,5 • UFI: 6EF1-W0W1-Y00P-RK4P

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy

\cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

· Further information obtainable from: Product Safety Department

· 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1	H317	May cause an allergic skin reaction.
Repr. 1A	H360FD-H362	May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
STOT RE 1	H372	Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
Aquatic Acute 1	H400	Very toxic to aquatic life.
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

Rosin

· Hazard statements

H317 May cause an allergic skin reaction.

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection / face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.



Page 2/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

Trade name: Lotpaste SP15 63S4-89,5

(Contd. of page 1)

P391 Collect spillage.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Additional information:

EUH201A Warning! Contains lead.

Restricted to professional users.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

•	Dangerous components:		
	CAS: 7439-92-1	lead powder [particle diameter < 1 mm]	10 - 35%
	EINECS: 231-100-4	Repr. 1A, H360FD-H362; STOT RE 1, H372	
	Index number: 082-013-00-1		
		EUH201A	
		Specific concentration limit: Repr. 1A; H360D: C \geq 0.03 %	
	CAS: 8050-09-7	Rosin	2 - 9%
	EINECS: 232-475-7	Skin Sens. 1, H317	
	Index number: 650-015-00-7		
	CAS: 7440-22-4	Silver (Powder <0.0001mm)	≤ 1%
	EINECS: 231-131-3	Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	
	SVHC		

· SVHC

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

• Protective equipment: No special measures required.



Page 3/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

Trade name: Lotpaste SP15 63S4-89,5

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.
6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- · Information about fire and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 6.1 C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

- BOELV Long-term value: 0.15 mg/m³
- as Pb
- CAS: 7440-22-4 Silver (Powder < 0.0001mm)
- IOELV Long-term value: 0.1 mg/m³

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2



Page 4/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

(Contd. of page 3)

Trade name: Lotpaste SP15 63S4-89,5

· Hand protection



Protective gloves

Rubber gloves

Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties		
· Physical state	Solid	
· Colour:	Grey	
· Odour:	Mild	
· Odour threshold:	Not determined.	
· Melting point/freezing point:	179 °C	
Boiling point or initial boiling point and boiling range	274 °C	
Flammability	Not determined.	
· Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	124 °C	
Decomposition temperature:	Not determined.	
· pH	Not applicable.	
· Viscosity:		
Kinematic viscosity	Not applicable.	
· Dynamic:	Not applicable.	
· Solubility		
· water:	Insoluble.	
 Partition coefficient n-octanol/water (log value) 	Not determined.	
· Vapour pressure:	Not applicable.	
 Density and/or relative density 		
· Density at 20 °C:	4.76 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Particle characteristics	See section 3.	

(Contd. on page 5) EU



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

Trade name: Lotpaste SP15 63S4-89,5

	(Contd. of page 4)	
· 9.2 Other information		
· Appearance:		
· Form:	Pasty	
Important information on protection of health and		
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
· Evaporation rate	Not applicable.	
 Information with regard to physical hazard classes 		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
 Self-heating substances and mixtures 	Void	
 Substances and mixtures, which emit flammable 		
gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- STOT-single exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6) EU

STOT-repeated exposure

Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Trade name: Lotpaste SP15 63S4-89,5

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

- 06 00 00 WASTES FROM INORGANIC CHEMICAL PROCESSES
- 06 04 00 metal-containing wastes other than those mentioned in 06 03
- 06 04 05* wastes containing other heavy metals
- HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
- HP10 Toxic for reproduction
- HP14 Ecotoxic

· Uncleaned packaging:

· Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	
 14.1 UN number or ID number ADR, IMDG, IATA 	UN3077
 14.2 UN proper shipping name ADR IMDG IATA 	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (lead powder [particle diameter < 1 mm]) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (lead powder [particle diameter < 1 mm], Silver (Powder <0.0001mm)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (lead powder [particle diameter < 1 mm])

(Contd. on page 7) EU

Page 6/9

(Contd. of page 5)

Revision: 20.09.2024



Page 7/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

Trade name: Lotpaste SP15 63S4-89,5

6)

	(Contd. of page 6)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA	III
 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
 Transport category Tunnel restriction code 	3 (-)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
• UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (LEAD POWDER [PARTICLE DIAMETER < 1 MM]), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





Page 8/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

(Contd. of page 7)

Trade name: Lotpaste SP15 63S4-89,5

Signal word Danger

· Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

Rosin • Hazard statements

- H317 May cause an allergic skin reaction.
- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

- P201 Obtain special instructions before use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection / face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P391 Collect spillage.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 30, 63, 72
- · Regulation (EU) No 649/2012
- CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and

electronic equipment – Annex II

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

\cdot Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Annex I Part 1



Page 9/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024

Version number 3.8 (replaces version 3.7)

Revision: 20.09.2024

Trade name: Lotpaste SP15 63S4-89,5

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H360D May damage the unborn child.

H360FD May damage fertility. May damage the unborn child.

- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- Very toxic to aquatic life with long lasting effects. H410
- EUH201A Warning! Contains lead.

· Department issuing SDS: Product Safety Department

- · Contact: Hr. Dörr
- Date of previous version: 20.09.2024
- Version number of previous version: 3.7
- Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Skin Sens. 1: Skin sensitisation Category 1 Repr. 1A: Reproductive toxicity Category 1A
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1 Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1