

Page 1/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Lotpaste SP2200 Sn63Pb37
- · UFI: QXF1-Y01E-T00N-QMN2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Stannol GmbH & Co. KG

Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

- · Further information obtainable from: Product Safety Department
- 1.4 Emergency telephone number: 8:00 am 5:00 pm (CET) +49 (0) 2051 3120 332

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Repr. 1A H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed

children.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys and the blood through

prolonged or repeated exposure.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS05

GHS08

GHS09

#### · Signal word Danger

#### · Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

2-(2-hexyloxyethoxy)ethanol

#### Hazard statements

H318 Causes serious eye damage.

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P263 Avoid contact during pregnancy and while nursing.
P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.



Page 2/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 1)

P310 Immediately call a doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH201A Warning! Contains lead. Restricted to professional users.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

**Dangerous components:** 

CAS: 7439-92-1 lead powder [particle diameter < 1 mm] 10 - 35%

EINECS: 231-100-4 Repr. 1A, H360FD-H362; STOT RE 1, H372

Index number: 082-013-00-1 Aquatic Chronic 1, H410

EUH201A

Specific concentration limit: Repr. 1A; H360D: C ≥ 0.03 %

CAS: 112-59-4 2-(2-hexyloxyethoxy)ethanol 2 - 9%

EINECS: 203-988-3 Eye Dam. 1, H318

Index number: 603-175-00-7 Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H336

> komplexes Gemisch aus chinesischem Balsamharz, nachreagiert mit 2 - 9%

Acrylsäure

Aquatic Chronic 4, H413

Diisooctylamin ≤ 1%

Acute Tox. 3, H311; Acute Tox. 3, H331 Repr. 1B, H360F

Skin Corr. 1B, H314; Eye Dam. 1, H318

Aquatic Chronic 1, H410 Acute Tox. 4, H302

CAS: 61788-95-2 Amine, (hydrierte Talg-alkyl)dimethyl-≤ 1%

EINECS: 263-022-1

Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410

CAS: 3234-02-4 2,3-dibromo-2-butene-1,4-diol ≤ 1%

EINECS: 221-779-5 Acute Tox. 3, H301

·SVHC

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

#### General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Page 3/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 2)

### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 6.1 D
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

BOELV Long-term value: 0.15 mg/m<sup>3</sup>

as Pb

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Page 4/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 3)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

· Hand protection



Protective gloves

Rubber gloves

Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

· General Information

Physical state Fluid Colour: Grey

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.
 Boiling point or initial boiling point and boiling range Undetermined.
 Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH
Not determined.
Not determined.

· Viscosity:

· Kinematic viscosity Not determined.

(Contd. on page 5)



Page 5/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 4)

· Dynamic: Not determined.

· Solubility

Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

1.3 hPa (CAS: 7439-92-1 lead powder [particle diameter < 1 · Vapour pressure at 970 °C:

mm])

· Density and/or relative density

· Density: Not determined. Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: **Pasty** 

· Important information on protection of health and

environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· VOC (EC) 0.00 % · Solids content: 100.0 %

· Change in condition

**Evaporation rate** Not determined.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void **Aerosols** Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

Void

Void

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

FU



Page 6/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 5)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 112-59-4 2-(2-hexyloxyethoxy)ethanol

Oral LD50 4,920 mg/kg (rat) Dermal LD50 1,500 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

CAS: 128-37-0 Butylated hydroxytoluene

List II

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP10 Toxic for reproduction

HP14 Ecotoxic

(Contd. on page 7)



Page 7/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 6)

· Uncleaned packaging:

· Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

#### **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3082

· 14.2 UN proper shipping name

• ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (lead powder [particle diameter < 1 mm])

· IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (lead powder [particle diameter < 1 mm], 2-

ETHYLHEXYLAMINE), MARINE POLLUTANT

• IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (lead powder [particle diameter < 1 mm])

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



• Class 9 Miscellaneous dangerous substances and articles.

· Label 9

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

Marine pollutant:
 Special marking (ADR):
 Special marking (IATA):
 Symbol (fish and tree)
 Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):
 EMS Number:
 Stowage Category

90
F-A,S-F
A

· 14.7 Maritime transport in bulk according to IMO

**instruments** Not applicable.

· Transport/Additional information:

ADR

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category 3 · Tunnel restriction code (-)

· IMDG

· Limited quantities (LQ) 5L · Excepted quantities (EQ) 5cde: E

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

> > (Contd. on page 8)



Page 8/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 7)

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LEAD POWDER [PARTICLE DIAMETER < 1 MM]), 9, III

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS05 GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

2-(2-hexyloxyethoxy)ethanol

- · Hazard statements
- H318 Causes serious eye damage.

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P263 Avoid contact during pregnancy and while nursing.
P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30, 63, 72
- · Regulation (EU) No 649/2012

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

Annex I Part 1

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]



Page 9/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.09.2024 Version number 1.4 (replaces version 1.3) Revision: 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 8)

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
11044	O

Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness. H360D May damage the unborn child.

H360F May damage fertility.

H360FD May damage fertility. May damage the unborn child.

H362 May cause harm to breast-fed children.

Causes damage to organs through prolonged or repeated exposure. H372

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

EUH201A Warning! Contains lead.

· Department issuing SDS: Product Safety Department

Contact: Hr. Dörr

Date of previous version: 20.09.2024 · Version number of previous version: 1.3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic



Page 10/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 1.4 (replaces version 1.3) Revision: 20.09.2024 Printing date 20.09.2024

Trade name: Lotpaste SP2200 Sn63Pb37

(Contd. of page 9)

SVHC: Substances of Very High Concern SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Repr. 1A: Reproductive toxicity – Category 1A
Repr. 1B: Reproductive toxicity – Category 1B
STOT SF 3: Specific target organ toxicity (single exposure) –

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

EU